

This unaffiliated laboratory testing was done on the lowest setting using only ActivePure® Technology.

THE TECHNOLOGY

The ActivePure® Surface & Air Guardian combines multiple complementary technologies, including ActivePure Technology, HEPA, and activated carbon. Patented ActivePure Technology is an advanced air and surface purification technology. It has been proven to reduce up to 99.9% of many common airborne and surface contaminants (list of tested pathogens can be found in "The Proof" section below).

ActivePure Technology does not replace the need to follow public health guidelines and should be used as complementary technology.

THE PROOF

In extensive unaffiliated lab testing, ActivePure® Technology has been proven to significantly reduce the following contaminants and pathogens:

- SARS-CoV-2
- Staphylococcus aureus
- Aspergillus niger endospores
- H1N1 Influenza
- H5N8 Influenza
- MRSA
- Bacillus globigii
- MS2 Bacteriophage
- Staphylococcus epidermidis
- PhiX-174
- Erwinia herbicola

- Listeria monocytogenes
- Murine Norovirus
- E. coli
- Candida auris
- Botrytis cinerea
- Sclerotinia sclerotiorum
- Legionella pneumophila
- Aspergillus versicolor
- Clostridium difficile
- Salmonella enterica

THE BENEFITS

The ActivePure Surface & Air Guardian provides 24/7 air purification and surface decontamination in indoor spaces up to 2,000 sq. ft. while the unit is running. It is a proactive and effective solution for your home or business.

- Uses ActivePure Technology, proven to reduce up to 99.9% of many common types of bacteria, viruses and mold in indoor air and surfaces¹
- Reduces VOC gases, smoke and odors without the use of ozone¹
- Multiple carbon brushes aid in the capture of contaminants
- Portable, lightweight device
- No installation plug-and-play solution
- Easy to use and low maintenance



¹View test results at ActivePure.com/Scientific-Proof Devices with ActivePure® Technology
have been proven to reduce up to

of many common types of bacteria,
viruses, and mold¹



SURFACE & AIR GUARDIAN

00763 Model: A1040F (ozone-free)

Product Information Meets California Ozone Emissions Limit. Carb Certified.

Validated to UL 2998

ActivePure® Technology - (2) 6" cells

Technology Included HEPA Filter Screen

Activated Carbon Filter

Carbon Brushes

Input Voltage: 100 ~ 240 VAC; 50/60 Hz

Electrical External Power Supply; DC 24 Volts; 1.5 Amps Max.

Power Consumption: 43 Watts Max.

Mechanical Nominal Airflow Rate: 40-60 CFM Adjustable Fan Speed

Safety Conforms to UL 867

Weight & Dimensions 7.6 lbs (3.5 kg)

11.75" H x 9.5" W x 10" D (29.8 cm x 24.1 cm x 25.4 cm)

Operating Temperature 34°F - 100°F (1°C - 38°C)

Sound Level 45 dB(A) (on low); 55 dB(A) (on high)

Recommended Maximum Coverage in a Contiguous

Space1

Up to 2,000 sq. ft. (185 m^2) depending on occupant density and other factors.

High density commercial not to exceed 500 sq. ft. (46 m²).

For coverage in medical or health care environments, contact Medical@activepure.com.

Warranty

Limited 3 year warranty

Recommended ceiling height to not exceed 10 feet. Solutions should be customized based upon a variety of factors
including HVAC system capabilities, HVAC settings, air flows (taking into account walls, air pressure, and doors), ambient air
temperature, humidity, variable density, known VOC concentrations, and other layers of protection.

Let us show you more!



ActivePure Technology is available in HVAC, Induct units and portable, plug-and-play units.

